

## Support Units (Fixed Side) Model Introduction

# GOOBK - 20 - S L B - J

Model	Size	Grade	Pre-Loaded	Surface Finish	Bearing Category
-------	------	-------	------------	----------------	------------------

GOOBK	Model	GOOAK / GSW / GSWE : Fixed Side-Rectangle Design GOOFK / GRW / GRWE : Fixed Side-Flange Design GOOBK : Fixed Side-Rectangle Design (Two way Mounting) GOOEK : Fixed Side-Protruding Design			
-------	-------	---	--	--	--

20	Size	GOOAK : 06~25 / GSW : 06~25 / GSWE : 10~25 GOOFK : 06~30 / GRW : 06~25 / GRWE : 10~25 GOOBK : 10~40 / GEK : 06~20			
----	------	---	--	--	--

Note : Fixed Side sizes are referred to bearing nominal dimensions.

S	Grade	S : Standard(Integrated Angular Contact Ball Bearings) ER : Economic Type, high rigid assembly without axial play. (Integrated with deep-groove ball bearings) EG : Economic Type, universal assembly with axial play. (Integrated with deep-groove ball bearings)			
---	-------	--	--	--	--

Note : ER and EG models are not specified with pre-loaded.

L	Pre-loaded	L : Light Pre-loaded M : Medium Pre-loaded H : Heavy Pre-loaded			
---	------------	---	--	--	--

B	Surface Finish	B : Black Dyed N : Nickel Plating			
---	----------------	-----------------------------------	--	--	--

J	Bearing Category	J : Japanese series T : Taiwanese series			
---	------------------	--	--	--	--

# Support Units-Support Side-Model Introduction

## Support Units (Support Side) Model Introduction

# GOOEF - 20 - S B - J

Model	Size	Grade	Surface Finish	Bearing Category
-------	------	-------	----------------	------------------

GOOEF	Model	GOOAF : Support Side-Rectangle Design GOOFF / GUR / GTR : Support Side-Flange Design GOOBF : Support Side-Rectangle Design (Two way Mounting) GOOEF / GUN / GTN : Support Side-Protruding Design		
-------	-------	---	--	--

20	Size	GOOAF : 06~25 / GUN : 06~25 / GTN : 06~25 GOOFF : 06~30 / GUR : 06~25 / GTR : 06~25 GOOBF : 10~40 / GEF : 06~20		
----	------	---	--	--

Note : 1. Support side size 06 and 15 ~ 40 are referred to bearing nominal dimensions.  
2. Support side size:  
• size 08 = bearing i.d. Ø6  
• size 10 = bearing i.d. Ø8  
• size 12 = bearing i.d. Ø10

S	Grade	S : Standard
---	-------	--------------

B	Surface Finish	B : Black Dyed N : Nickel Plating
---	----------------	-----------------------------------

J	Bearing Category	J : Japanese series T : Taiwanese series
---	------------------	--

## Support Units (Heavy Loading) Model Introduction

# GOOWFF - 20 - B - DFD - J

Model	Size	Surface Finish	Bearing Combination	Bearing Category
-------	------	----------------	---------------------	------------------

GOOWFF	Model	GOOWFF : Heavy loading		
20	Size	GOOWFF : 17~40		
B	Surface Finish	B : Black dyed N : Nickel plating		
DFD	Bearing Combination	DF : Face to face DFD : Face to back to face		
J	Bearing Category	J : Japanese series T : Taiwanese series		

- Note : 1. Fixed side sizes are referred to bearing nominal dimensions.  
2. GWFF model is applied TAC series angular 60 degrees contact bearings.